

Standard Classroom and Conference Room Equipment List

Type	Make	Model
Security Bit	----	Star-post driver bit TT-20
DVD/VCR combo	Sony	SLV-D380P
Power conditioner	Tripplite	PDU1220
Multimedia control system	Crestron	MPS-200
Touch panel	Crestron	TPS-6LB-T (black)
Touch panel mounting backbox	Marshall Furniture	M-MB
Projector – 3 year warranty	Sharp Sanyo	XG-C465X (4000 lumens) PLC-XT21 (4000 lumens)
Projector mount	Chief	RPA-176 with quick release for maintenance
Projection screen	Draper	Access Series E with built-in low voltage
Speakers	QSC	AD-S32T-WH (pair)
Podium	Marshall Furniture	Custom: MLP 35/40 with M2CL package (KEYED C415A)
Floor Rack	TBD	TBD
Desktop Rack with Locking Back Door (w/ touch panel)	Lowell	L70-31 - 18 RU (KEYED B644A)
Desktop Rack with Locking Back Door (w/out touch panel)	Lowell	L70-24 - 14 RU (KEYED B644A)
Podium microphone	Shure	MX418/S
*Floor box	Wiremold	8ATCPBK
Wireless microphone	Shure	ULXP124/85
Capture card	ViewCast	Osprey-230
Video camera	Sony	EVI-D100
Ceiling microphone	Shure	MX395W/O
LCD panel without tuner (built-in speakers)	Samsung	400MX (40") 460MX (46")
LCD panel with tuner (built-in speakers)	Samsung	400CX (40") 460CX (46")
LCD/Projector 120 db Security Alarm	Sonic Shock	Sonic Shock 4 (keyed alike 533)
Computer Security Kit	Computer Security Products	CSP-722.2x (keyed alike for Loyola), TRP-575 , and PL4130KA

		(keyed alike #314)
Small Padlock	Master Lock	PL4130KA (keyed alike #314)
Lockable LCD mount	Chief	PRO2534
Telephone	-----	-----
Wireless network access	-----	-----

***Floor box detail**

Network: 4 data/voice	Electrical: quad power outlet	AV: 1 VGA (to projector) 1 control (to projector) 1 relay (to screen) 1 composite video (to projector) 2 speaker outputs	Video capture: 1 XLR (from room mic) 1 composite video (from room camera) 1 control (to room camera)
--------------------------	----------------------------------	---	---

Standard Digital Signage Equipment List

Type	Make	Model
LCD panel without tuner (built-in speakers)	Samsung	400MX (40") 460MX (46")
LCD panel with tuner (built-in speakers)	Samsung	400CX (40") 460CX (46")
Lockable LCD mount	Chief	PRO2534
Video transmitter < 350 ft >350 ft	Minicom Magenta Research	0VS22014 (350ft max) MVT4 (2000ft max)
Video receiver	Minicom Magenta Research	0VS23009 (350ft) AK500 (2000ft)
*Media player with web based digital signage software and Windows XP Pro	Digital Engine	DE-945CD (or newer for use with Dynasign)
120 db Security Alarm	Sonic Shock	Sonic Shock 4 (keyed alike 533)
Padlock	Master Lock	PL4130KA (keyed alike #314)
Power Strip	APC	P6B
Rack Shelf	No standard; 1U size	Rack Shelf for Telecom Closet

* Note: Digital signage software (Dynasign) has yearly subscription.

Wall detail

Network: 1 data to telecom patch panel	Electrical: Dual electrical
---	--------------------------------

Standard Video Capture Equipment List

Type	Make	Model
Video camera	Sony	EVI-D100
Video camera mount	TBD	TBD
Wireless microphone	Shure	ULXP124/85
Ceiling microphone	Shure	MX395W/O
Video capture appliance	VBrick	Windows Media 9190-4200 – Single Channel Encoder with optional hard drive

Wall/Ceiling detail

Network: None	Electrical: Dual electrical
------------------	--------------------------------